G. Literature Cited

Alsop DC, Detre JA: Reduced Transit-Time Sensitivity in Noninvasive Magnetic Resonance Imaging of Human Cerebral Blood Flow, J Cerebral Blood Flow and Metab., 16:1236-1249, 1996

Alperin et al: Proc. ISMRM 2001, p.1977

- Aguirre GK, Detre JA, Zarahn E and Alsop DC Experimental Design and the Relative Sensitivity of BOLD and Perfusion fMRI, NeuroImage 15, 3, Pages 488-500, March 2002
- Bandettini PA, Wong EC, Hinks RS, Tikofsky RS ,Hyde JS, Time course EPI of human brain function during task activation, Magn. Reson. Med. 25: 390-97 (1992).
- Burock MA, Dale AM. Estimation and detection of event-related fMRI signals with temporally correlated noise: a statistically efficient and unbiased approach. Hum Brain Mapp 2000 Dec;11(4):249-60
- Boynton GM. Engel SA. Glover GH. Heeger DJ: Linear systems analysis of functional magnetic resonance imaging in human V1. Journal of Neuroscience 16(13):4207-21, 1996.
- Buxton RB, Frank LR: A model for coupling between cerebral blood flow and oxygen metabolism during neural stimulation. J. of Cerebral Blood Flow and Metabolism, 17(1), 64-72, 1997.
- Buxton RB, Wong EC, Frank LR : Dynamics of Blood Flow and Oxygenation Changes during Brain Activation: The Balloon Model. Magnetic Resonance in Medicine 39: 855 - 864, 1998
- Buxton RB, Frank LR, Wong EC et al: A General Kinetic Model for Quantitative Perfusion Imaging with Arterial Spin Labeling. Magnetic Resonance in Medicine 40: 383-396 (1998)
- Detre JA, Leigh JS, Williams DS, Koretsky AP: Perfusion Imaging, Magnetic Resonance In Medicine, 23, 37-45, 1992.
- Desmond JE, Glover GH: Estimating the sample size in functional MRI (fMRI) neurpimaging studies: Statistical power analyses. Journal of Neuroscience Methods 118, p 115-128, 2002.
- Duong TQ, Yacoub E, Adriany G, Hu XP, Ugurbil K, Vaughan JT, Merle H, Kim SG: High-Resolution, Spin-Echo BOLD, CBF fMRI at 4 and 7 T. Magnetic Resonance in Medicine 48, p 589-593, 2002.
- Friston KJ, Josephs O, Zarahn E, Holmes AP, Rouquette S, Polline JB: To Smooth or not to smooth? Bias and Efficiency in fMRI Time-Series Analysis, Neuroimage 12, p 196-208, 2000.
- Friston KJ , Glaser DE, Henson RNA,, Kiebel S, Phillips C, Ashburner J: Classical and Bayesian Inference in Neuroimaging Applications, NeuroImsge,16, 484--512,2002
- Glover GH, Law CS: Spiral-In/Out for Increased SNR and Reduced Susceptibility Artifacts. Magnetic Resonance in Medicine 46, p 515-522 (2001)
- Helpern JA, Branch CA, Yongbi MN, Huang NC: Perfusion Imaging by Un-Inverted Flow-sensitive Alternating Inversion Recovery. Magnetic Resonance Imaging , 15(2) 135-9, 1997.
- Hernandez L, Branch CA: Theoretical Effects of Magnetization Transfer on Inversion Efficiency in Steady State Arterial Inversion for Measurement of Cerebral Perfusion.Proccedings of the International Society for Magnetic Resonance in Medicine Meeting 1998.
- Hernandez-Garcia L, Lee GR, Vazquez AL, Noll DC: Fast, Pseudo-Continuous Arterial Spin Labeling for Functional Imaging Using a Two-Coil System, Magnetic Resonance in Medicine , in press

- Hinrichs H, Scholz M, Tempalmann C, Woldorff MG, Dale AM, Heinze HJ: Deconvolution of Event-Related fMRI Responses in Fast-Rate Experimental Designs: Tracking Amplitude Variations, Journal of Cognitive Neuroscience 12, sup2, pp 76-79, 2000
- Kim SG: Quantification of Relative Cerebral Blood Flow Change by Flow Sensitive Alternating Inversion Recovery (FAIR) Technique: Application to Functional Mapping. Magnetic Resonance in Medicine, 34: 293-301, 1995.
- Liu TT, Wong EC, Frank LR, Buxton RB: Analysis and Design of Perfusion-Based Event-Related fMRI Experiments, Neuroimage 16, p 269-282, 2002.
- Lee GR, Hernandez-Garcia L, Noll DC: A phantom for quantitative spin tagging perfusion measurements. International Society for Magnetic Resonance in Medicine Annual Meeting 2002.
- Lee GR, Hernandez-Garcia L, Vazquez A, Noll D: A Fast Perfusion Measurement for Functional Imaging Using Double-Coil AST, . International Society for Magnetic Resonance in Medicine Annual Meeting 2003.
- Marchini, J. L. and Ripley, B. D.,: A new statistical approach to detecting significant activation in functional MRI, NeuroImage, 2000, 12, p 366-380
- Miller KL, Luh WM, Liu TT, Martinez A, Obata T, Wong EC, Frank LR, Buxton RB: Nonlinear Temporal Dynamics of Cerebral Blood Flow Response. Human Brain Mapping 13, p1-12, 2001
- Ogawa S. Lee TM. Kay AR. Tank DW. : Brain magnetic resonance imaging with contrast dependent on blood oxygenation. Proceedings of the National Academy of Sciences of the United States of America. 87(24):9868-72, 1990
- Pawlik, G, Rackl A, Bing RJ: Quantitative capillary topography and blood flow in the cerebral cortex of cats: an in vivo microscopic study, Brain Res 208: 35-58, 1981
- Pfeuffer J, Adriany G, Shmuel A, Yacoub E, Van der Moorele PF, Hu XP, Ugurbil : Perfusion-based High-Resolution Functional Imaging in the Human Brain at 7 Tesla. Magnetic Resonance in Medicine 47, p.903-911, 2002.
- Purdon PL. Weisskoff RM. Effect of temporal autocorrelation due to physiological noise and stimulus paradigm on voxel-level false-positive rates in fMRI. [Journal Article] Human Brain Mapping. 6(4):239-49, 1998.
- Silva, AC, Zhang, W, Williams, DS, Koretsky, AP: Multi-Slice Brain Perfusion Imaging Of The Rat Brain By Arterial Spin Labeling Using Two Actively Decoupled Coils, Proceedings Of The SMRM, 2, P. 632, 1993.
- Silva, AC, Zhang, W, Williams, DS, Koretsky, AP: Multi-Slice MRI of Rat Brain Perfusion During Amphetamine Stimulation Using Arterial Spin Labeling . Magnetic Resonance In Medicine, 33, 209-214 (1995).
- Silva, AC, Zhang, W, Williams, DS, Koretsky, AP: Multi-Slice Brain Perfusion Imaging Of The Rat Brain By Arterial Spin Labeling Using Two Actively Decoupled Coils, Proceedings Of The SMRM, 2, P. 632, 1993.
- Silva AC, Williams DS, Koretsky AP: Evidence for the Exchange of Arterial Spin Labeled Water with Tissue Water in Rat Brain from Diffusion-Sensitized Measurements of Perfusion. Magnetic Resonance in Medicine 38, 232-237 (1997).
- Vazquez, AL, Noll, DC, "Non-linear Aspects of the Blood Oxygenation Response in Functional MRI", NeuroImage 7:108-118, 1998.

- Weiss HR, Buchweitz E, Murtha TJ et al: Quantitative regional determination of the total and perfused capillary network in the rat brain, Circ Res 51: 494-503, 1982
- Williams DS, Detre JA, Leigh JS, Koretsky AP: Magnetic Resonance Imaging of Perfusion using Spin Inversion of Arterial Water. Proc. Natl. Acad. Sci., 89:212-216, 1992
- Wong EC, Luh WM, Liu TT: Turbo ASL: Arterial Spin Labeling With Higher SNR and Temporal Resolution . Magnetic Resonance in Medicine 44:511–515 (2000)
- Wong EC, Buxton RB, Frank LR. Quantitative imaging of perfusion using a single subtraction (QUIPSS and QUIPSS II). Magn Reson Med 1998;39:702–708.
- Woolrich, M. W. and Ripley, B. D. and Brady, M. and Smith, S.: Temporal autocorrelation in univariate linear modelling of fMRI data, NeuroImage, 14, 1370-1386, 2001
- Worsley, K. J. and Liao, C. H. and Aston, J. and Petre, V. and Duncan, G. H. and Morales, F. and Evans, A. C.: A general statistical analysis for fMRI data ,NeuroImage, 15, p. 1-15, 2002
- Yang Y, Frank JA, Hou L, Ye FQ, MacLaughlin AC, Duyn JH: Multislice imaging of Quantitative Cerebral Perfusion with Pulsed Arterial Spin Labeling, Magnetic Resonance in Medicine, 39, 1998, p.825
- Yang Y., Engelien W, Xu S., Gu H, Silbersweig DA, Stern E. : Transit time, trailing time, and cerebral blood flow during brain activation: Measurement using multislice, pulsed spin-labeling perfusion imaging. Magnetic Resonance in Medicine. 44, 680-685, 2000
- Ye, FQ, Pekar JJ, Jezzard P, Duyn J, Frank JA, McLaughlin AC: Perfusion Imaging of the Human Brain at 1.5T Using a Single Shot EPI Spin Tagging Approach. Magnetic Resonance in Medicine 36: 219 224 , (1996)
- Ye FQ, Mattay VS, Jezzard P, Frank JA, Weinberger DR, McLaughlin AC: Correction for vascular artifacts in cerebral blood flow values measured by using arterial spin tagging techniques. Mag. Reson. Med., 37(2):226-35, 1997.
- Young BJ et al: Proc ISMRM 2000, p. 739
- Wong EC, Buxton RB, Frank LR: A Theoretical and Experimental Comparison of Continuous and Pulsed Arterial Spin Labeling Techniques for Quantitative Perfusion Imaging. Magnetic Resonance in Medicine 40: 348-355 (1998)
- Wong EC, Buxton RB, Frank LR: A Theoretical and Experimental Comparison of Continuous and Pulsed Arterial Spin Labeling Techniques for Quantitative Perfusion Imaging. Magnetic Resonance in Medicine 40: 348-355 (1998)

Wong et al, Proc. ISMRM 9 p.1162 (2001)

Zhang W, Williams DS, Koretsky AP, Measurement Of Rat Brain Perfusion By NMR Using Spin Labeling Of Arterial Water: In Vivo Determination Of The Degree Of Spin Labeling, Magnetic Resonance In Medicine, 29, 416-421, 1993.