

CFR Code of Federal Regulations Title 21



1

[FDA Home](#)³ [Medical Devices](#)⁴ [Databases](#)⁵



6

[510\(k\)](#)⁷ | [Registration & Listing](#)⁸ | [Adverse Events](#)⁹ | [Recalls](#)¹⁰ | [PMA](#)¹¹ | [Classification](#)¹² | [Standards](#)¹³
[CFR Title 21](#)¹⁴ | [Radiation-Emitting Products](#)¹⁵ | [X-Ray Assembler](#)¹⁶ | [Medsun Reports](#)¹⁷ | [CLIA](#)¹⁸ | [TPLC](#)¹⁹

New Search

[Code of Federal Regulations]
 [Title 21, Volume 8]
 [Revised as of April 1, 2012]
 [CITE: 21CFR892.1000]

[Help](#)²⁰ | [More About 21CFR](#)²¹



22

TITLE 21--FOOD AND DRUGS
 CHAPTER I--FOOD AND DRUG ADMINISTRATION
 DEPARTMENT OF HEALTH AND HUMAN SERVICES
 SUBCHAPTER H--MEDICAL DEVICES

PART 892 -- RADIOLOGY DEVICES

Subpart B--Diagnostic Devices

Sec. 892.1000 Magnetic resonance diagnostic device.

(a)*Identification.* A magnetic resonance diagnostic device is intended for general diagnostic use to present images which reflect the spatial distribution and/or magnetic resonance spectra which reflect frequency and distribution of nuclei exhibiting nuclear magnetic resonance. Other physical parameters derived from the images and/or spectra may also be produced. The device includes hydrogen-1 (proton) imaging, sodium-23 imaging, hydrogen-1 spectroscopy, phosphorus-31 spectroscopy, and chemical shift imaging (preserving simultaneous frequency and spatial information).

(b)*Classification.* Class II.

[53 FR 5078, Feb. 1, 1989]